

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A balloon catheter comprising:
a catheter shaft having a distal end, an inflatable balloon disposed on the distal end, a proximal end coupled to a connecting piece, a guiding wire lumen extending between the proximal and distal ends, and an inflation lumen extending from the connecting piece to the inflatable balloon,
wherein the guiding wire lumen comprises a pipe having coupled proximal and distal portions disposed substantially concentrically within the catheter shaft,
wherein the proximal and distal portions are each made of a solid material, the material of the proximal portion being ~~portion comprises a~~ more rigid than the material than of the distal portion, and
wherein the inflation lumen is defined by an annulus between an exterior of the pipe and an interior surface of the catheter shaft.
- 2.-3. (Canceled)
4. (Previously Presented) The balloon catheter according to claim 1, wherein the proximal portion comprises a metallic material and the distal portion comprises a plastic material.
5. (Previously Presented) The balloon catheter according to claim 1, wherein a transitional portion comprising the abutting ends of the proximal and distal portions is provided with a kink protection encompassing a part of each of the proximal and distal portions.
6. (Previously Presented) The balloon catheter according to claim 5, wherein the kink protection comprises sleeve encasing the transitional portion.

7. (Previously Presented) The balloon catheter according to claim 5, wherein the kink protection comprises a metal spring.

8. (Previously Presented) The balloon catheter shaft according to claim 5, wherein the kink protection is formed as a metal spring arranged in the inflation/deflation lumen.

9.-12. (Canceled)

13. (Previously Presented) The balloon catheter according to claim 4, wherein the proximal portion is provided with an lubricity-enhancing coating.

14.-20. (canceled)

21. (Currently Amended) A balloon catheter comprising:
a catheter shaft having a distal end including an inflatable balloon and a proximal end coupled to a connecting piece, the catheter shaft comprising a pipe having proximal and distal portions and a solid cross-section, ~~separate, except for~~ first and second ~~longitudinally-extending~~ boreholes extending longitudinally within at least a portion of the catheter shaft,
wherein the first and second boreholes extend from the proximal end to the distal end, the first longitudinal borehole defining a guiding wire lumen and the second longitudinal borehole defining an inflation lumen that couples the connecting piece to the inflatable balloon, the proximal portion comprising a material having a greater rigidity than the distal portion.

22. (Previously Presented) The balloon catheter of claim 21, wherein the proximal portion comprises a metallic material and the distal portion comprises a plastic material.

23. (Previously Presented) The balloon catheter according to claim 21, wherein at least the first borehole in the proximal portion includes a lubricity-enhancing coating.

24. (Previously Presented) A balloon catheter comprising:

a catheter shaft having a distal end including an inflatable balloon and a proximal end coupled to a connecting piece, the catheter shaft comprising a pipe having proximal and distal portions, ~~and~~

wherein at least one of the proximal or distal ends has a solid cross-section,
wherein separate ~~except for first and second longitudinally-extending boreholes extend~~
longitudinally within at least a portion of the proximal or distal ends, and

~~wherein the first and second boreholes extend from the proximal end to the distal end, the~~
~~first borehole defining~~ defines a guiding wire lumen and the second borehole ~~defining~~ defines an
inflation lumen ~~that couples~~ for connecting the connecting piece to the inflatable balloon.

25. (Previously Presented) The balloon catheter of claim 24, wherein the pipe comprises a metallic material.

26. (Previously Presented) The balloon catheter according to claim 24, wherein at least the first longitudinal borehole includes a lubricity-enhancing coating.